INT OBSERVING LOG (ISAAC NEWTON GROUP, LA PALMA)

```
TELESCOPE:            INT
DATE:                 20011120
TAPE NR:
OBSERVER:             S. Rawlings, E. MacDonald
PROGRAMME:            Oxford Wide Field Survey
PATT/CAT REF.:        I/01B/WFS06
TELESCOPE OPERATOR:   none
SUPPORT ASTRONOMER:   none

TELESCOPE FOCUS:      44.05 mm
CALIBRATE RESULTS:    not specified

INSTRUMENT:           WFC

WFC FILTER WHEEL:     KPB,Z,V,U,i,R

WEATHER:              (1st half) bad
                      (2nd half) bad
CLOUD COVER (%):      (1st half) 100
                      (2nd half) 100
DUST (0-2):           (1st half) 0
                      (2nd half) 0
SEEING (arcsec):      (1st half) 0
                      (2nd half) 0

DOME OPENED (UT):
```

METEOROLOGICAL PARAMETERS

LT	AirT	Hum%	Wspd	Gust	Wdir	Press	LocT	IntT	Mirr	LocRH	IntRH
19:00	3.1	100	71.2	86.5	8	762.8	3.4	9.7	10.4	100	72
20:00	2.6	100	64.6	81.3	356	762.7	2.9	9.5	10.2	100	71
21:00	1.6	100	70.4	83.5	3	763.3	1.9	9.2	10.3	100	71
22:00	2.2	100	69.4	84.9	350	764.0	2.5	9.1	10.4	100	68
23:00	2.4	100	69.6	82.7	339	763.7	2.7	9.4	10.3	100	69
00:00	2.6	100	68.4	80.4	9	764.4	2.7	9.2	10.4	100	70
01:00	2.2	100	59.3	73.5	329	764.3	2.7	9.1	10.3	100	69
02:00	1.5	100	49.3	64.1	347	764.6	1.7	9.1	10.3	100	69
03:00	1.1	100	41.4	53.4	352	764.3	1.4	9.1	10.4	100	68
04:00	1.8	100	55.4	63.7	337	764.3	2.2	8.4	10.3	100	71
05:00	0.8	100	49.7	53.7	354	764.5	1.1	8.0	10.3	100	71
06:00	1.2	100	59.9	70.3	357	764.5	1.5	8.4	10.2	100	68

```
SUNSET(UT)            18:24
EVENING TWILIGHT(UT)  19:38
MORNING TWILIGHT(UT)  06:17
SUNRISE(UT)           07:31
MOON'S QUARTER (1-4)  1
DISK % OF ILLUM.      32
DARK TIME             10:39
TWILIGHT TIME         02:28
MOONRISE(UT)          No moonrise within sunset-sunrise
MOONSET(UT)           23:08

TIME LOST(WEATHER):   10:39
TIME LOST(TECHNICAL): 00:00
TIME LOST(OTHER):     00:00



Run no. Object name             RA         Dec.     Equinox    AM    PA     UT       Exp. T.   Filter      Psys Channel  Binning Comments
```

285338	Bias frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	15:11:56.6	0.0	U	RGO	1 x 1	
285339	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:48:17.5	0.0	U	RGO	1 x 1	
285340	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:48:57.3	0.0	U	RGO	1 x 1	
285341	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:49:36.6	0.0	U	RGO	1 x 1	
285342	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:50:15.7	0.0	U	RGO	1 x 1	
285343	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:50:54.7	0.0	U	RGO	1 x 1	
285344	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:51:33.8	0.0	U	RGO	1 x 1	
285345	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:52:12.9	0.0	U	RGO	1 x 1	
285346	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:52:51.9	0.0	U	RGO	1 x 1	
285347	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:53:31.0	0.0	U	RGO	1 x 1	
285348	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:54:10.1	0.0	U	RGO	1 x 1	
285349	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:54:49.3	0.0	U	RGO	1 x 1	
285350	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:55:28.3	0.0	U	RGO	1 x 1	
285351	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:56:07.4	0.0	U	RGO	1 x 1	
285352	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:59:09.1	0.0	U	RGO	1 x 1	
285353	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	18:59:48.2	0.0	U	RGO	1 x 1	
285354	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:00:39.9	0.0	U	RGO	1 x 1	
285355	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:01:39.0	0.0	U	RGO	1 x 1	
285356	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:02:26.7	0.0	U	RGO	1 x 1	
285357	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:03:14.7	0.0	U	RGO	1 x 1	
285358	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:03:55.9	0.0	U	RGO	1 x 1	
285359	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:04:35.4	0.0	U	RGO	1 x 1	
285360	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:05:21.6	0.0	U	RGO	1 x 1	
285361	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:06:01.0	0.0	U	RGO	1 x 1	
285362	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:06:40.1	0.0	U	RGO	1 x 1	
285363	Bias Frame	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:07:21.7	0.0	U	RGO	1 x 1	
285365	Dark 900	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:27:27.6	900.0	U	RGO	1 x 1	
285366	Dark 1000	0:00:00.00	+00:00:00.0	A	1.000	180.1	19:43:32.9	1000.0	U	RGO	1 x 1	
285367	Dark 1100	0:00:00.00	+00:00:00.0	A	1.000	180.1	20:23:20.2	1000.0	U	RGO	1 x 1	dark 1000
285368	Dark 1200	0:00:00.00	+00:00:00.0	A	1.000	180.1	20:43:46.6	1200.0	U	RGO	1 x 1	
285369	Dark 900	0:00:00.00	+00:00:00.0	A	1.000	180.1	01:27:45.3	900.0	U	RGO	1 x 1	
285371	Dark 1100	0:00:00.00	+00:00:00.0	A	1.000	180.1	02:11:22.7	1100.0	U	RGO	1 x 1	
285372	Dark 1200	0:00:00.00	+00:00:00.0	A	1.000	180.1	02:40:52.4	1200.0	U	RGO	1 x 1	